OIPE
SEP 30 2005
IAP25
PATENT & TRADEMARK OFFICE

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
Graham MacKay, et al.

Serial No.: 10/685,296

Confirmation No.: 9827

Filed: October 14, 2003

For: INSTALLATION OF DOWNHOLE ELECTRICAL POWER CABLE AND SAFETY VALVE ASSEMBLY

Group Art Unit: 3672

Examiner: Letoria G. House

Customer No.: 36735

MAIL STOP AMENDMENT
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

CERTIFICATE OF MAILING
37 CFR 1.8
I hereby certify that this correspondence is being deposited with sufficient postage as first class mail in an envelope addressed to: Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on September 27, 2005.

Jason C. Huang
Typed Name

Signature

46,222
Reg. No. if applicable

(713)623-4844
Telephone Number

RESPONSE TO OFFICE ACTION DATED JUNE 27, 2005

In response to the Office Action dated June 27, 2005, having a shortened statutory period for response set to expire on September 27, 2005, please enter this response and reconsider the claims pending in the application for reasons discussed below. Although Applicant believes that no additional fees are due in connection with this response, the Commissioner is hereby authorized to charge counsel's Deposit Account No. 20-0782/WEAT/0489/WBP, for any fees, including extension of time fees or excess claim fees, required to make this response timely and acceptable to the Office.

Amendment to the **Specification** begins on page 2.

Amendments to the **Claims** are reflected in the listing of claims which begins on page 3 this paper.

Amendment to the **Drawings** begins on page 7.

Remarks/Arguments begin on page 8 of this paper.